# Certificate of Suitability

*Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. This Certificate meets the requirements of a Recognised External Certification Scheme (RECS).*

| CERTIFICATION AND CERTIFICATE HOLDER DETAILS | | | |
|---|---|---|---|
| Company Name | **M-Elec Pty Ltd** | Other Name | |
| Address | **3/29 Premier Circuit Warana QLD 4575 Australia** | | |
| Client ID | **104596** | Global-Mark File Number: **104596-022** | System 1 Approval |
| Certification Number | **GMA-513089** | Revision Number **02** | |
| Certificate Standard(s) | **AS/NZS 60598.2.2:2016 including A1 - 2 & AS/NZS 60598.1:2017 + A1 - 2 Luminiares - Particular requirements - Recessed luminaires.** | | |
| Type of Certification | **Electrical Safety Product** *Scheme* | **Global-Mark Electrical Product Safety Certification Scheme** | |

| CERTIFICATE DATES | |
|---|---|
| Certificate Issue Date | **25/07/2022** |
| Certificate Last Update Date | **30/09/2023** |
| Certification Expiry Date | **25/07/2027** |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.

**Certification Manager**

*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Suitability

| CERTIFIED ELECTRICAL EQUIPMENT | | | | |
|---|---|---|---|---|
| **Declared Article** | **Product Description** | **Trade Name** | **Model Number** | **Rating** |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR8-M | 220-240VAC, 50Hz, ta:25°C; 8W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR12-M | 220-240VAC, 50Hz, ta:25°C; 12W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR8-M-RAPID | 220-240VAC, 50Hz, ta:25°C; 8W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR7-M-RAPID | 220-240VAC, 50Hz, ta:25°C; 7W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR12-M-RAPID | 220-240VAC, 50Hz, ta:25°C; 12W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR7-M | 220-240VAC, 50Hz, ta:25°C; 7W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR7-M-RF | 220-240VAC, 50Hz, ta:25°C; 7W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR7-M-RF-RAPID | 220-240VAC, 50Hz, ta:25°C; 7W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR8-M-RF | 220-240VAC, 50Hz, ta:25°C; 8W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR8-M-RF-RAPID | 220-240VAC, 50Hz, ta:25°C; 8W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR12-M-RF | 220-240VAC, 50Hz, ta:25°C; 12W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MR12-M-RF-RAPID | 220-240VAC, 50Hz, ta:25°C; 12W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MRAR10-M | 220-240VAC, 50Hz, ta:25°C; 10W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.

Certification Manager

*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Suitability

| | | | | |
|---|---|---|---|---|
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MRAR10-M-RAPID | 220-240VAC, 50Hz, ta:25°C; 10W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MRA-8-W-MULTI | 220-240VAC, 50Hz, ta:40°C; 8W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |
| Non declared | LED dimmable & color selectable down light | M-Elec | ML-MRA-8-B-MULTI | 220-240VAC, 50Hz, ta:40°C; 8W; IC-4; Class II, IP54 for parts below the ceiling, IP40 for parts recessed in ceiling |

**RELEVANT TRADEMARK (S)**

M-ELEC®

**COMMENTS OR CONDITIONS ON THE CERTIFICATION**

Classified as "IC-4"
2023/09/21 Modification 1
- Add alternative models: ML-MRx-M-[RF, RF-RAPID] with x = 7, 8, 12; ML-MRAR10-[M, M-RAPID]; ML-MRA-8-x-MULTI with x = W, B
2023/09/30 Modification 2
- Editorial

**End of document**

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ
WWW.JAS-ANZ.ORG/REGISTER